

No. Fail

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN		Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Muktamat							
8	288.3390	108.3390	196.9608	9	196.9608	10	4	163.392				163.392
9												
10	196.9608	26.9608										
	pk.B pk.F											
8	Seperti Di Atas	73.1927		9	73.1927	11	4	20.106				20.106
9												
11	73.1927	253.1927										
	pk.L ←											
8	Seperti Di Atas	79.5852		9	79.5852	12	4	17.717				17.717
9												
12	79.5852	259.5852										
	pk.L ←											
2	57.9295	237.9295	160.5639	1	160.5639	13	4	76.635				76.635
1								76.633				
13	160.5639	396.5639										
	pk.F											
1	396.5639	160.5639	298.3098	13	298.3098	19	4	70.072				70.072
13								70.070				
19	298.3098	68.3098										
	pk.B											
13	68.3098	298.3098	289.5639	14	289.5639	15	4	186.572				
14								186.570				
15	289.5639	109.5639										
	pk.B											
14-16	68.5393			14	68.5393	16	4	18.273			BAL	18.273
14-17	133.0705			14	133.0705	17	4	71.652			pk.L	71.652
14-18	201.5957			14	201.5957	18	4	27.790			pk.L	27.790

No. Fail

Rajah di muka

[illegible]

amat

