

SEC 280 Cilas Baty 9 Bili P.H.S.
No. Fail

Rajah di muka

No. Fail												
Stesen	BEARING / SUDUT			Dari Stn	GARISAN		Ke Stn	Sudut Pukak (±)	Jarak	Suhu 28/1/65	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Muktamat							
1	Dataran Daripada		208 18 53	20			19	1	79.538			79.538
	FB 96 m/s 17 RZ											
149	208 18 53	28 18 53	287 29 08	20			1	1	133.076			133.076
20									133.077			
1	287 29 08		107 29 08									
	p.k.B											
50	107 29 08	287 29 08	288 52 53	1			2	1	177.890			177.890
1	2	288 52 53	108 52 53									
	p.k.B											
1	108 52 53	288 52 53	280 11 23	2			3	1	80.872			80.872
2	3 280 11 23		100 11 23									
	p.k.B											
2	100 11 23	280 11 23	278 25 07	3			7	1	139.895			139.895
3	7	278 25 07	98 25 07									
	p.k.B											
2	S. A. A.	202 29 16	3				5	1	57.997			57.997
3									57.999			
5	202 29 16	122 29 16										
	p.k.B											
3	122 29 16	202 29 16	209 10 37	5			6	1	78.837			78.837
5	6	209 10 37	29 10 37									
	p.k.B											

No, Fail

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tumpang	Jarak Mukhtamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukhtamat						
6	5	29 10 37	209 10 37	76 25 20	6	7	4	5.329			5.329
	7	76 25 20	226 25 20	BKL							
6	5	S. O. A.	202 39 30	6	8	4		70.259			70.259
	8	202 39 30	223 39 30	pkt				70.253			
8	6	223 39 30	202 39 30	208 29 39	8	9	4	76.363			76.363
	9	208 29 39	R 29 39	pkt				76.362			
9	8	28 29 39	208 29 39	207 27 05	9	10	4	55.631			55.631
	10	207 27 05	27 27 05	pkt				55.632			
10	9	27 27 05	207 27 05	216 49 58	10	11	4	13.356			13.356
	11	216 49 58	36 49 58	BK							
10	9	S. A. A.	268 49 00	10	12	4		9.686			9.686
	12	268 49 00	48 49 00	BKL							

Tarikh 5/2/200
 Daripada Khairi Abd. S. Aras

Dibuat untuk
 Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
0.285 (10.81)					62.059	57M 9	
0.521 (17.1)		0.111	(10.2)		59.223	CP1	
1.079 (33.5)		2.723	(19.10)		56.967	CP2	
1.912 (57.6)					58.638	78M 1/	
1.935 (63.5)					58.105	57M 3	
2.801 (8.63)						CP3	
1.965 (5.8)					56.638	78M 1/	
2.993 (9.65)		1.805	(6.12)				
0.979 (3.21)		0.972	(1.55)				
1.181 (3.88)		2.126	(6.98)				
1.299 (3.88)		1.932	(6.38)				
1.188 (3.90)							
1.639 (5.39)		1.745	(5.72)			BM	
1.917 (6.29)		1.903	(4.61)				
2.198 (7.21)		1.069	(3.51)				
2.185 (7.10)		0.799	(2.62)				
3.337 (10.95)		0.595	(1.95)				
0.085 (0.24)					63.615	CP9	
19.066 (2.091)							

Tarikh Aras

Dibuat untuk

Daripada

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
3.289 (10.86)					63.615		
3.360 (11.12)		0.125	(10.58)				PA
3.295 (10.81)		0.106	(10.35)				
2.652 (8.70)		0.261	(10.86)				
1.990 (6.53)		0.170	(10.56)				
		1.974	(7.79)		76.085		BM W 508 (AC: 76.95)
14.586		2.176					