

[illegible]

No. Fail

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN		Ke Stn	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat							
102 105	255 58 93	75 58 93	73 49 36 c 19	105	73 49 22	106	4		55.939 55.932			55.939
106	73 49 36	253 49 36										
	pk.B											
105 106	253 49 36	73 49 36	151 37 15 c 18	106	151 36 57	107	4		47.917 47.913			47.917
107	151 37 15	331 37 15										
	pk.B											
106 107	331 37 15	151 37 15	193 41 14 c 22	107	193 40 52	108	4		33.580 33.556			33.580
108	193 41 14	13 41 14										
	pk.B											
107 108	13 41 14	193 41 14	143 08 11 c 25	108	143 07 46	109	4		57.357 57.355			57.357
109	143 08 11	323 08 11										
	pk.B											
108 109	323 08 11	143 08 11	173 05 19 c 23	109	173 05 55	110	4		74.366 74.363			74.366
110	173 05 19	353 05 19										
	pk.B											
109 110	353 05 19	173 05 19	197 37 54 c 32	110	197 37 22	100	4		43.295			43.295
100	197 37 54	173 37 54										
110 100	17 37 54	197 37 54	113 48 31 c 36	100	113 47 55	18	5 1/4					
	Bering Teratur											
F18	113 48 31	223 48 31										

Bering 100 - 18 dibaca 113 48 31 mls 20 17
 Sepatutnya dibaca 113 47 55 mls 19 12
 Tikaian + 35" utk 10 stn
 Pembetulan - 3.6" per stn

226 13 56 + 0.005
 22 0.010 0.010
 226 13 56

No. Fail

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn	Sudut Pukak (+)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muklumat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Muklumat						
116 117 102	31 19 57 329 07 52 199 07 52	31 19 57 329 07 52 199 07 52	328 07 52	117 102	329 07 52	102	H 58.752 58.753				58.752
117 102 101	199 07 52 198 23 76 198 23 76	329 07 52 198 23 76 328 23 76	198 23 76	102 101	198 23 76	101	S/a Lihat m/s Bering Tertutup	Lihat m/s	19 R. 7		
	Bering 102-101 dibaca 198 23 76 Sepatuhnya dibaca 198 23 76 T.kanan N/I Pembetulan N/I							57.358 29/5/09			
108 109 118	323 07 76 286 32 37 106 32 37	193 07 76 106 32 37 286 32 37	286 32 37	109 118		118 90 07	6. 90 07	6.759 6.760			6.759
109 118 119	106 32 37 286 32 37 292 29 02	286 32 37 286 32 37 112 29 02	292 29 02	118 119		119 90 17	5.698				5.698
109 118 120	239 20 15 57 20 15 239 20 15	239 20 15 57 20 15 239 20 15	239 20 15	118 120		120 112 20 (mini)	7.757 (7.757)				7.757
109 118 121	256 56 19 76 56 19 256 56 19	256 56 19 76 56 19 256 56 19	256 56 19	118 121		121 90 30	23.230 23.197				23.197

Rajah di muka

Stesen	BEARING / SUDUT		Dari Stn.	GARISAN Bearing Muktamat	Ke Stn	Sudut Pukal (+)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muktamat
Penyilang Kiri	Penyilang Kanan	Purata								
							3711			
							3719			
							3710			
							3718			
							3768			
							3767			
							3766			
							3765			
							3769			
							3763			
							3762			
							3761			
							3760			
							42168			
							4175912			
							41698			
							41701			

Rajah di muka

