

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Mukamat	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu 3/3/82	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata								
	Datum	Jaripada	95 71 30	100	95 71 30	101	89 33	75.205			75.205
			MT 9"		pk-B						
101	95 71 30	275 71 30	153 50 25	100	153 50 30	102	4	8.969			8.969
100			MT 9"								
102	153 50 25	233 50 25									
			BKL								
101	Seperti Di Atas	289 73 21	100 289 73 30	103	4	38.661		38.661			38.661
100			MT 9"								
103	289 73 21	89 73 21									
			pk-B								
100	89 73 21	289 73 21	188 20 07	103	188 20 10	109	4	51.666			51.666
103			MT 9"								
109	188 20 07	8 20 07									
			pk-B								
100/103	Seperti										
103											
105											
103	8 20 07	188 20 07	138 55 20	109	138 55 30	105	4	11.879			11.879
109			MT 9"								
105	138 55 20	318 55 20									
			BKL								
103	Seperti Di Atas	178 09 33	109 178 09 40	106	4	78.237		78.237			78.237
109			MT 9"								
106	178 09 33	358 09 33									
			pk-B								

No. Fail

Rajah di muka

Stesen	BEARING / SUDUT			GARISAN		Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyalang Kiri	Penyalang Kanan	Purata	Dari Stn.	Bearing Mukamat						
107	358 0933	178 0933	87 7017	106	87 7030	107	4	29.732			29.732
106			MT 9"								
107	87 7017	267 7017									
	pk										
106	267 7017	87 7017	3 2928	107	3 2940	108	4	70.295			70.295
107			MT 9"								
108	3 2928	183 2928									
	pk										
107	183 2928	3 2928	107 5627	108	107 564409		4	7.033			7.033
108			MT 9"								
109	107 5627	287 5627									
	BKL										
107	Seperti Di Atas	95 1139	108	95 1150	110	4		75.792			75.792
108			MT 9"								
110	95 1139	275 1139									
108	275 1139	95 1139	332 2901	110	332 2910	111	4	8.578			8.578
110			MT 9"								
111	332 2901	152 2909									
	BKL										
108	Seperti Di Atas	157 35	110	157 40	101	4		57.370			57.370
110			MT 9"								
101	157 35	181 5735									
110	181 5735	157 35	275 7130	101	275 7140	100		Sik. Rujuk m/s 29 R1			
101			MT 9"								
100	275 7130	95 7130									

Bering 101-100 Dibaca 275 7130
 Sepertunya Dibaca 275 7130
 Tikaian Ni/
 Pembetulan Ni/

No. Fail

Rajah di muka

Stesen	BEARING / SUDUT			Dari	GARISAN	Ke	Sudut Pukak	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata	Stn.	Bearing Mukamat	Stn.	(±)				
103-B1	130 20 27	11.931	pk.B AB								
103-B2	150 79 28	8.903	pk.B								
103-B3	162 19 27	9.591	pk.B								
103-B16	160 50 07	13.056	AB								
103-B17	172 11 50	26.335	AB								
109-B18	173 31 27	13.908	AB								
109-B20	123 27 03	11.326	AB								
109-B21	137 09 20	12.959	AB								
109-B22	158 26 02	23.528	AB								
106-B23	30 29 51	12.913	AB								
106-B27	72 28 56	8.990	AB								
106-B5	37 06 58	8.151	AB								
106-B6	176 35 36	5.639	pk.B								
106-B7	136 12 27	6.689	AB								
107-B8	279 76 53	18.999	77								
107-B9	286 55 71	17.317	77								
107-B10	157 07 52	8.523	pk.B								
107-B11	32 08 33	10.728	AB								
107-B12	299 08 20	17.861	4WD								
107-B13	227 18 19	16.827	4WD								
107-B14	272 17 57	13.557	4WD								
107-B15	280 19 58	12.195	4WD								

TOWN OF KUACA CUM P4R
DISTRICT OF KUACA CUM P4R
NOT TO SCALE.

No. Fail

Rajah di muka

