

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Perata		Bearing Muktamat						
pk.B (2)	90	72	51	271.321	AKA Dym	pk.B (1)	123.599	89 01 25	5	73.776	pk.B (6)
(3)	SpL 3270	3269 PA86822	3316	pk.B (10)	pk.B (9)	12	172 58 10	159.919	13	3259	3258
		3271				17			15	3260	
		3272		pk.B (11)	pk.B (7)	pk.B (12)				3326	
		3273								3262	3261 SpL PA86821
	3275	3279								3269	3263
3-7 (7)	129 12 15	583.002	N	3-B	116 28 12	507.068	N			3250 SpL (7)	PA86820
	129 12 19	583.007	PO		116 28 03	507.063	PO				
	+1'	+0.005			+9'	+0.005					

Tarikh Perindustrian Aras

Daripada TM 1907 < 8 Aluminium

Dibuat untuk

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
0.864	(2.83)	1.384			52.161	78m F2587	
1.610	(5.26)	1.295	(4.5)		51.730 -	7800 K1	
	1.585 (5.13)	1.277	(4.9)		52.063 -	78m F2588	
1.280	(4.20)				52.063	78m F2588	
2.136	(6.79)	1.049	(3.44)				
1.805	(5.92)	0.982	(3.22)				
1.838	(6.03)	1.025	(3.36)				
1.376	(4.58)	1.688	(5.47)				
		1.637	(5.33)		54.151	78m TM 1	RC: 54.151m
0.949		6.361					As my job.
							All the heights are based on BM 80895
							RC: 71.133m
							TM 1432