

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tiang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat						
1	Datim	Danipad		2	285 29 20	1	4	96.95			96.95
2				3	129 02 00	3	4	122.150			122.150
3				4	279 10 19	4	4	27.370		BKL	27.370
4				5	279 38 47	5	4	79.689		BKL	79.689
5				6	285 18 12	6	4	91.919		pt. C	91.919
6				7	179 58 01	7	4	109.702			109.702
7				8	91 38 03	8	4	126.139			126.139
8				9	143 49 40	9	4	9.250		BKL	9.250
9				10	109 42 17	10	4	21.950		BKL	21.950
10				11	190 58 27	11	4	22.195		BKL	22.195
11				12	53 46 40	12	4	88.765			88.765
12				13	53 46 40	13	4				

Rajah di muka

DAERAH KAWU.
MUKIM KAPAR
TANPA SKALA

6-12 109 39 45 208.850 ✓
109 39 46 208.835 10
-1" 70.05

BH Pjg.

Aras

Dibuat untuk

41

Tarikh

JM/1906

Daripada

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilars	Jarak	Catitan
1.004	(329)				6.623	724 F259/	
1.179	(387)	1.876	(615)		5.751		
	1.746	(571)			5.190	A501	
	1.293	(424)			5.637	F2	
	1.004	(321)			5.926	922	
1.558	(511)	1.985	(651)		4.945	F1	
		1.501	(492)		5.002	724 F2592 (7143)	

All the lights is
based on 274 48018
AC: 3305