

No. Fail JM 1985 Chow Kit.

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pugak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat						
	Datum	Danipada		2	9 56 42	1	4	37.291	8/3/2015		37.291
					Aj Ak.						
					Dgn MH						
1	9 56 42	199 56 42	288 27 21	2	268 27 21	3	4	39.867			39.867
2											
3	268 27 21	88 27 21									
	pk.B										
2	88 27 21	268 27 21	4 40 11	3	4 40 11	4	4	33.769			33.769
3											
4	4 40 11	184 40 11									
	pk.B										
2	Seperti Di Atas	288 55 46	288 55 46	3	288 55 46	5	4	48.118			48.118
3											
5	288 55 46	108 55 46									
	pk.B										
4-6	354 23 15			4	354 23 15	6	4	19.961		SpL	19.961
4-7	201 29 35			4	201 29 35	7	4	7.900		pk.L	7.900
5-8	399 49 48			5	399 49 48	8	4	21.890		pk.L ←	21.890
5-8	49 16 53			5	49 16 53	8	4	19.960		pk.L ←	19.960
3	108 55 46	288 55 46	273 50 11	5	273 50 11	9	4	63.779			63.779
5											
9	273 50 11	93 50 11									
	pk.B										
9-10	77 37 43			9	77 37 43	10	4	49.992		pk.L ←	49.992
9-11	75 26 42			9	75 26 42	11	4	43.669		pk.L ←	43.669
9-12	318 55 50			9	318 55 50	12	4	19.005		pk.L ←	19.005

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
1.238	(7.06)				35.396	78m F.3	78m F2649 (CLP)
	1.980	(7.86)			35.154	F1035	
1.980	(7.86)	1.558	(5.11)		35.076	F1006	
	1.529	(5.02)			35.027	78m F.2850	
					35.301	F	
1.998	(7.91)	1.255	(4.12)		35.539	* F550 / F5	
	1.265	(4.15)			35.381	78m F.3	RC: 35.381
		1.718	(4.65)				32/12/84/07/0/11
							All the height is based on
2216		7.231					BM W5005 (RC: 35.229m)