


Stesen	BEARING / SUDUT			Dari Stn	GARISAN	Ke Stn	Sudut Pukak (°)	Jarak	Syukur	Jarak Antara Tupang	Jarak Muktamad
	Penyulang Kiri	Penyulang Kanan	Purata		Bearing Muktamad						
	Datun Banipada	GRS		2	358 2139 Ag Ak. Dgn GRS	1	H	206.771			206.771
2	1	358 2139	178 2139	178 2523	2	178 2523	3	H	91.353		91.353
	3	178 2523	18 2523								
		pk.B (TBM 1373)									
2	1	Sepati Di Atas	330 7898	2	330 7898	7	H	91.769			91.769
	7	330 7898	150 7898								
		pk.B									
2-5	200 2310			2	200 2310	5	H	92.091		pk.L	92.091
2-6	57 3209			2	57 3209	6	H	5.953		pk.L	5.953
2-7	623 51			2	623 51	7	H	91.550		pk.L	91.550
7-8	201 2530			7	201 2530	8	H	89.175		pk.L	89.175



Location

2

Purpose

Horiz. Dist.	Ht. Diff. + or -	RL of Inst.	RL of Centre Reading	m	RL of Object	Remarks
						Bm B1706
						QAS Level: 37.15
						Bm Level: 37.12
						<u>40.030</u>

Hori- Dist.	Ht. Diff. + or -	RL of Inst.	RL Centre Reading	m	RL Object	Remarks
						Bm B1906
						GAS level: 38.157
						Bm level: 38.127
						+0.030
						F2 / BM 285
						GPS level: 68.986
						constant: -0.050
						68.936