

No. Fail JM2876 Deching Utama

Rajah di muka

Stesen	BEARING - SUDUT			Dari Stn	GARISAN		Ke Stn	Sudut Pukak (°)	Jarak	Sudut Antara Gang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat						
	Datum	Danipadu		2	170 02 05	1	4	126.089			126.089
				pk.B	A3 Ak.	pk.B					
					Dgn MH						
2-3	186 91 19			2	186 91 19	3	4	31.255	SPL		31.255
2-4	228 07 16			2	228 07 16	4	4	21.913	SPL		21.913
2-5	292 01 00			2	292 01 00	5	4	30.999	SPL		30.999
1	2	350 02 05	170 02 05	171 56 10	1	171 56 10	6	4	53.813		53.813
	6	171 56 10	351 56 10								
		pk.B									
Demarcate.											
1-10	113 02 59	23.963	pk.B								
1-11	163 31 38	9.733	pk.B								
6-12	352 37 08	25.898	pk.B								
6-13	9 28 29	19.813	pk.B								
6-14	36 29 55	29.276	pk.B								

Location Jm 2878 Puchang utoma.

Purpose

Horiz. Dist.	Ht. Diff. + or -	RL of Inst.	RL Centre Reading	m	RL Object	Remarks
1.9156					10.8791	P1
1.1539					11.1913	TBM F3391
1.2153					11.0799	TBM F3392
1.3927					10.902	(GPS) R6
						BM 80996
				GPS Cont'	11.815	
				B.M. Cont'	11.766	
					±0.089	
						R6/GPS
				GPS Cont'	10.951	
				constant	-0.089	
						10.902