

No. Fail JM258/ NISK KAPAR

Rajah di muka

| Stesen | BEARING / SUDUT   |                 |          | Dari Stn. | GARISAN         |     | Ke Stn. | Sudut Pukak ( $\pm$ ) | Jarak   | Suhu | Jarak Antara Tupang | Jarak Mukamat |
|--------|-------------------|-----------------|----------|-----------|-----------------|-----|---------|-----------------------|---------|------|---------------------|---------------|
|        | Penyilang Kiri    | Penyilang Kanan | Purata   |           | Bearing Mukamat |     |         |                       |         |      |                     |               |
| 1      | Datum Daripada    |                 |          | 2         | 297 5233        | 1   | 4       | 65.292                | 9/10/19 |      | 65.292              |               |
|        |                   |                 |          | pkB       | Az Ak           | pkB |         |                       |         |      |                     |               |
|        |                   |                 |          |           | Dgn 625         |     |         |                       |         |      |                     |               |
| 2      | 1 297 5233        | 117 5233        | 37 9120  | 2         | 37 9120         | 3   | 4       | 65.991                |         |      | 65.991              |               |
| 3      | 37 9120           | 217 9120        |          |           |                 |     |         |                       |         |      |                     |               |
|        | pkB               |                 |          |           |                 |     |         |                       |         |      |                     |               |
| 2      | 1 Seperti Di Atas | 205 5717        | 2        | 205 5717  | 7               | 4   | 108.907 |                       |         |      | 108.907             |               |
| 7      | 205 5717          | 25 5717         |          |           |                 |     |         |                       |         |      |                     |               |
|        | pkB               |                 |          |           |                 |     |         |                       |         |      |                     |               |
| 2-5    | 29 1928           |                 |          | 2         | 29 1928         | 5   | 4       | 57.573                | pk.L <  |      | 57.573              |               |
| 2-6    | 3 57 51           |                 |          | 2         | 3 57 51         | 6   | 4       | 7.589                 | pk.L <  |      | 7.589               |               |
| 2      | 25 5717           | 205 5717        | 207 1652 | 7         | 207 1652        | 7   | 4       | 57.591                |         |      | 57.591              |               |
| 7      | 207 1652          | 107 1652        |          |           |                 |     |         |                       |         |      |                     |               |
|        | pkB               |                 |          |           |                 |     |         |                       |         |      |                     |               |
| 7      | 107 1652          | 207 1652        | 203 3307 | 7         | 203 3307        | 1   | 4       | 119.360               |         |      | 119.360             |               |
| 1      | 203 3307          | 200 3307        |          |           |                 |     |         |                       |         |      |                     |               |
| 7-8    | 225 9225          |                 |          | 7         | 225 9225        | 8   | 4       | 7.829                 | pk.L    |      | 7.829               |               |
| 7-9    | 18 3897           |                 |          | 7         | 18 3897         | 9   | 4       | 62.921                | pk.L    |      | 62.921              |               |
| 1-10   | 203 1252          |                 |          | 1         | 203 1252        | 10  | 4       | 37.196                | pk.L <  |      | 37.196              |               |
| 1-11   | 203 3228          |                 |          | 1         | 203 3228        | 11  | 4       | 31.092                | pk.L <  |      | 31.092              |               |
| 1-12   | 207 0602          |                 |          | 1         | 207 0602        | 12  | 4       | 11.340                | pk.L    |      | 11.340              |               |

## Rajah di muka

[illegible]



Client ..... JM 285 2587  
 HSK Kapan  
 Date .....

| From   | To | RL of Station | Inst. Ht. | Bearing | Vertical Angle<br>+ or - | Lower Wire | Middle Wire | Upper Wire | Gen. No. | Horiz. Dist. |
|--------|----|---------------|-----------|---------|--------------------------|------------|-------------|------------|----------|--------------|
| 0.9627 |    |               |           | 3.079   | 2.989                    | TBM F3292  | JM1         |            |          | 0.90         |
| 0.7727 |    |               |           | 3.269   | 3.179                    | TBM F3293  | JM2         |            |          |              |
| 0.7303 |    |               |           | 3.311   | 3.216                    | F          |             |            |          |              |

BM B60092  
 BM Level : 3.221  
 GRS Level : 3.335  
 0.119

TBM JM1 / GRS  
 GRS Level : 3.098  
 constant : - 0.119  
 3.079  
 2.989