

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN		Ke Stn.	Sudut Pukak ($\pm$)	Jarak	Syhu	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Muktamat							
	Datun	Daripada		2	171 90 09	1	4	57.090	7/11/20		57.090	
					pkA A3 Ak pkA							
					Dgn GPS							
					TBM 3M)							
1	2	35/90 09	171 90 09	90 399	1	90 399	3	4	182.07		182.07	
	3	90 399	270 399									
		pkA										
2-4	4	98 59 02		2	98 59 02	4	4	75.122		pkL	75.122	
2-5	5	103 00 02		2	103 00 02	5	4	18.808		BL	18.808	
3-6	6	285 57 25		3	285 57 25	6	4	15.351		pkL	15.351	
3-7	7	311 10 53		3	311 10 53	7	4	13.133		pkL	13.133	
3-8	8	338 08 29		3	338 08 29	8	4	23.89		pkL	23.89	
3	1	270 399	90 399	3 5	32	3 3 5	32	4	113.575		113.575	
	9	3 5	32	183 5	32							
		pkB										
9-10	10	229 27 51		9	229 27 51	10	4	12.350		DL	12.350	
9-11	11	399 39 59		9	399 39 59	11	4	26.218		pkL	26.218	
9-12	12	7 96 18		9	7 96 18	12	4	56.210		BL	56.210	

Location

Purpose