

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Mukamat	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu 17/11/09	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata								
1	Datun Daripada	221 0335	2	221 0335	1	4	119.786			119.786	
	PA			pt	AKL						
2	1	221 0335	41 0335	397 9156	2	397 9156	3	4	20.087	20.087	
	3	397 9156	187 9156								
2	1	Seperti Di Atas	22 0657	2	22 0657	9	4	70.206		70.206	
	4	22 0657	202 0657								
2	1	Seperti Di Atas	29 3300	2	29 3300	5	4	88.189		88.189	
	5	29 3300	209 3300								
2	1	Seperti Di Atas	221 9139	2	221 9139	6	4	50.637		50.637	
	6	227 9139	97 9139								
6	2	97 9139	227 9139	215 2719	6	215 2719	7	4	75.100	75.100	
	7	215 2719	35 2719								
6	2	Seperti Di Atas	159 9239	6	159 9239	8	4	97.976		97.976	
	8	159 9239	339 9239								
		pt.									

Rajah di muka =====[illegible]

No. Fail

Rajah di muka 1

[illegible]

.....Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
0.193 (0.97)		3.798	(13.12)		133.997	78m 5m2	RL: 133.997 BM 10050
0.703 (1.32)		3.798			129.692		
0.190 (0.96)		3.826	(12.55)		126.219		
0.292 (0.96)		3.803	(11.89)		122.756		
0.183 (0.60)		3.783	(12.91)		119.265		
0.763 (1.52)		3.866	(12.03)		115.782		
0.137 (0.95)		3.628	(11.90)		112.617		
0.272 (0.89)		3.777	(12.39)		108.977		
0.933 (3.08)		3.977	(11.91)		105.772		
		2095	(6.71)		108.660	F2	
2966		31803					
2.095					108.660	F2	
0.057 (0.18)		3.383	(11.10)		103.822		
	2.985	(9.79)			100.391	F1001 / F6	
0.621 (2.09)		3.367	(11.05)		100.009	78m 121609 / 5m1 Ahs longlong.	
0.278 (0.91)		3.192	(10.31)		97.788		
		2.381	(7.81)		95.385	78m F1610 / 5m2 Ahs longlong / F7	
2.998		12.273					