

ASN W/20 by Pandan.

Kapal di angka

No. Unit

Bravo Day 70.207

Day

Unit

Day

Unit

Day

Unit

Day

Unit

Day

Unit

Datum Lampada 2955507 2 2955507 1 4 70.800 70.800
 Ag AL
 Dgn MH

1 2955507 1155507 994700 2 994700 3 4 92.187 92.187

2 3 994700 2774700

pkB

1 Sprink. Si Atas 115746 2 115746 7 4 99.097 99.097

2 7 115746 1915746

pkA

2-5	2965101	2	2965101	5	4	75.317	pk.L	75.317
2-7	3160398	2	3160398	6	4	17.892	pk.L	17.892
2-8	931733	2	931733	8	4	76.105	pk.L	76.105
2-9	970919	2	970919	9	4	57.799	pk.L	57.799
4-10	2090526	4	2090526	10	4	70.539	ACL	70.539
4-11	1385520	4	1385520	11	4	20.065	pk.C	20.065

2 1915746 115746 1070801 7 1070801 12 4 117.987 117.987

4 12 1070801 2870801

pkA

4 2870801 1070801 2064110 12 2064110 3 4 88.120 88.120

12 3 2064110 264110

[illegible]

Rajah di muka

Hand-drawn surveying diagram on grid paper showing a traverse with points 1 through 10. The diagram includes bearings and distances for each leg of the traverse. Key data points include:

- Leg 1-2: 295.55°, 70.800
- Leg 2-3: 99° 47' 00"
- Leg 3-4: 11° 57' 46"
- Leg 4-5: 99° 09' 27"
- Leg 5-6: 561
- Leg 6-7: 7.201/ 580
- Leg 7-8: 580
- Leg 8-9: 99° 09' 27"
- Leg 9-10: 99° 09' 27"

The diagram also shows a closed traverse with points 1, 2, 3, 4, 5, 6, 7, 8, 9, 10. Other labels include 'pkc', 'pkb', 'pkc', 'pkc', 'pkc', 'pkc', 'pkc', 'pkc', 'pkc', 'pkc'.

11-19	1095828	111.501	✓
	1095755	111.515	PO
	-1271	-0.019	

15-14	15001	78.260	✓
	150120	78.271	PO
	-109"	-0.011	

