

No. Fail J2 507 AIMS

Rajah di muka

Stesen	BEARING & SIGHT			Dari Stn	WARISAN Bearing Muktamad	ke Stn	Sudut Puncak 1	Jarak	Sudut Antara Tiang	Jarak Muktamad
	Penyalang Kiri	Penyalang Kanan	Purata							
	Datum Danjeds			2	306 273	1	H	71.186	22/5/20	71.186
					Aj Ak.					
					Aj 1 M4					
1	2	126 273	306 273	307 2050	1	307 2050	3	H	128.056	128.056
	3	307 2050	127 2050							
	2-4	225 7726		2	225 7726	4	H	18.067	BAL	18.067
	3-5	69 3598		3	69 3598	5	H	38.675	pk LK	38.675
	3-6	62 2218		3	62 2218	6	H	19.858	pk LK	19.858
	3-7	97 0742		3	97 0742	7	H	15.957	pk LK	15.957

[illegible]

BACK SIGHT	INTER-MEDIATE	FORE SIGHT	RISE (Level 2)	FALL	REDUCED LEVEL	DISTANCE	REMARKS
0.1029			CP1 (L2) 62.7953				
0.1202		1.9868	CP2 (TS) 60.8609				
0.1786		1.9856	CP3 (L4) 58.9955				
0.0759		1.9778	CP4	57.1963			
0.10910		1.8267	CP5 (LUM) 55.9955				
0.1638		2.0083	CP6	53.5712			
1.5208		1.9967	CP7 (L4) 51.708				
0.9039		1.5216	CP8 (L4) 51.703				
1.9011		2.6969	F102	49.9193			
	0.8916		TRM F3715	49.9738			
0.1891		1.7338	F1 (F3716)	49.0816			
0.9150		2.8227	CP10	96.9870			
0.9923		1.9092	F2	95.8528			
	0.8807		M4 AKL	95.5197			
	1.9357		M4 TIME	98.9547			
		0.9826	TRM F1782	95.9125			
			Hydant.				
		All the heights based on BM WOODS					