

JZ449 Wisma Megah.

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Muktamat						
○	Arum	Danpads		50	27/3905	100	H	108.737			108.737
				pkB TBM		pkB					
50	100	27/3905	67/3905	6	5505	50	6	5505	105	H	79.525
	105	6	5505	186	5505						79.525
		pk.L.									
○	100-105	Di 6909	91	5209	159	990	N.				
	Sinatutun	Di 6909	91	5205	159	991	PO				
			-1"		-0.001						
50	100	27/3905	67/3905	263	0102	50	263	0102	51	H	41.325
	51	263	0102	263	0102						41.325
		pkB	CTRM								
50	100	Sepati Di Atas	27	0100	50	27	0100	107	4		31.988
	107	27	207								31.988
		207	0100	27	0100						
		Demarade.									
50	109-55	286	0999	12.247	pk.L						
	109-56	286	9907	11.737	pk.L						
	109-57	219	5213	17.759	pk.L						
	51-58	70	3799	7.891	pk.B						
51	59	10	2321	35.693	pk.B						

