

Rajah di muka

No. Fail

No. Fail												
Stesen	BEARING / SUDUT			Dari Stn.	GARISAN		Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat							
50-60	285 49 39			50	285 49 39	60	H	28.112			PKL	28.112
50-61	251 49 95			50	251 49 95	61	H	22.791			PKB	22.791
50-62	209 02 90			50	209 02 90	62	H	9.162			PKB	9.162
50-63	177 09 56			50	177 09 56	63	H	8.275			PKB	8.275
51-64	20 05 21			61	20 05 21	64	H	15.560			PKB	15.560
51-65	20 46 58			61	20 46 58	65	H	14.973			PL	14.973
51-66	147 36 98			61	147 36 98	66	H	3.588			PL	3.588
53-67	267 46 35			53	267 46 35	67	H	6.575			PKL	6.575
○												
	Level.											
2.4288								93.1970			TBM F3209	
○	0.8995	10.8995						94.2263			FTBM F3206	
		1.2290						94.3968			F50	
○												
○												
○												

All the Level based on
JTB JTB 663 (TBM F3209)

JZ663 Jln Buluh Perindu 5

JZ688 Jln Buluh Perindu 5

