

No. Fail JZ 708 Bkt Jalr/

Rajah di muka

[illegible]

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat						
8	291 21 25	61 21 25	129 56 30	9	129 56 30	9	H	17.277			17.277
9	129 56 30	309 56 30									
9	309 56 30	129 56 30	159 01 37	9	159 01 37	2	Sila Lihat m/s) RJ				
2	159 01 37	339 01 37			Bering Tukang.						
	Bering 9-2	Dibaca	159 01 37								
	Spatulnya	Dibaca	159 01 37								
	Tiketan		159								
	Pembetulan		159								
8-10	257 52 01			8	257 52 01	10	H	3.105		pk.L	3.105
9-11	359 52 19			9	359 52 19	11	H	7.267		pk.B	7.267
2-12	33 32 06			2	33 32 06	12	H	10.894		pk.B (TBM)	10.894
2-13	233 49 57			2	233 49 57	13	H	8.896		pk.B (TBM)	8.896

J2708 Bkt Jals/

1.5225

1.6050

0.7959

51.035

FZ

50.9525 BM F4112

51.812/ BM F4113

BM B099/

GPS Level: 46.635

BM Level: 46.610

0.025

FZ

GPS Level: 51.060

constant: -0.025

51.035

