

No. Fail 56103

Rajah di muka 1


[illegible]

Rajah di muka

[illegible]


No. Fail

Rajah di muka

[illegible]

No. Fail

Rajah di muka



[illegible]

Date *Kajangs* Levels

taken for

From

To

BACK SIGHT	INTER-MEDIATE	FORE SIGHT	RISE	FALL	REDUCED LEVEL	DISTANCE	REMARKS
1.959 (6.83)					34.589	PZ C	78m F/661) Ahs actual
	1.595 (5.07)				35.083		78m F/662
	0.950 (1.98)				36.098		78m F/663
	0.959 (1.99)				36.098	78m 1	(Junction Senawa) plan PC: 36.082m
2.265 (7.83)		2.503 (8.21)			38.085	CP	
7.229 -		0.951 (3.12)			35.359	78m 1	Atikik drawing plan PC: 38.818m
0.981 (3.12)		3.958 -					
1.559 (5.11)		1.177 (3.93)			35.359	78m 1	(78m F/664)
1.890 (5.55)		1.777 (7.85)					
1.931 (6.08)		1.215 (3.99)					
2.922 (7.85)		0.703 (2.30)					
1.300 (8.27)		1.188 (3.89)					
2.001 (6.56)		1.715 (5.63)					
11.858		0.092 (2.38)			39.630	78m 1	F/665
0.092 (0.30)		7.583 -					215/8 km perindahan Aibm.
1.687 (5.53)		1.858 (6.10)			39.630		
1.958 (6.82)		1.059 (3.87)					
2.531 (8.00)		0.865 (2.29)					
2.328 (7.68)		0.395 (1.13)					
(3.982) (11.829)		2.270 (7.95)			71.829		
3.982 (8.18)		0.696 (2.12)			78.885 -	8m	81410
12.078							

1.083