

No. Fail


Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN		Ke Stn.	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat							
5	18905R	90512	1393576	6	1393726	9	4	39.157				39.157
6			M- 120					39.159				
9	1393576	393576										
	pt. H											
6	393576	1393576	571629	9	571509	10	4	21.722				21.722
9			M- 120									
10	571629	2371629										
	pt. L											
6	Seperti Di Atas	581903	9	581793	11	4	21.085					21.085
9		M- 120										
11	581903	2381903										
	out) pt. L											
6	Seperti Di Atas	1701227	9	1701107	12	4	127.577					127.577
9		M- 120						127.578				
12	1701227	3201227										
	pt. B											
9	3201227	1701227	2693903	12	2693793	1	4	67.085				67.085
12		M- 120										
13	2693903	893903										
9	Seperti Di Atas	1597728	12	1597608	13	4	8179					
12		M- 120					(mini)					
13	1597728	3397728										
	Sp. L											
12	893903	2693903	2720830	1	2720710	2	Sila Rujuk m/s 21 R1					
1		M- 120										
2	2720830	920830										

Bearing 1-2 Dibaca 272 07 10
 Sepatutnya Dibaca 272 07 10
 Titikian Nf/
 Pembetulan Nf/

Stesen	BEARING / SUDUT			Dari	Ke	Sudut Pukak	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukhtamat
Penyilang Kiri	Penyilang Kanan	Purata	Stn.	Bearing Mukhtamat	Stn.	($\pm$)				



DAERAY GOMBAK
MYKIM SETAPAK
TANPA SKALA
SYIT 78A



No. Fail

Rajah di muka

Stesen	BEARING / SUDUT		Dari Stn.	GARISAN Bearing Mukamat	Ke Stn.	Sudut Pugak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan								



$$\begin{array}{r}
 2-13 \quad 99 \quad 35 \quad 95 \quad 106.810 \text{ N} \\
 99 \quad 35 \quad 95 \quad 106.778 \text{ PO} \\
 \hline
 +1 \quad 20' \quad +0.032
 \end{array}$$

$$70-2 \quad 200 \quad 17 \quad 11 \quad 116.000 \text{ N}$$

$$\begin{array}{r}
 10-13 \quad 150 \quad 33 \quad 59 \quad 137.789 \text{ N} \\
 150 \quad 33 \quad 59 \quad 137.806 \text{ PO} \\
 \hline
 -2' \quad -0.017
 \end{array}$$

Tarikh

Zam Sri Gondak

Aras

Dibuat untuk

59

Daripada

7RS 8019/

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
0.050 3.495	(10.01)				90.099		
0.356 (111)	1.555	15.13			91.588		742 F9
0.316 (1.09)	3.657	3.538	(11.01)		89.611		FG 0.25 RC
3.159	(10.36)	3.657	(12.00)		86.310		CP
3.722	3.637	11.1.83			83.867		78M F1095
	10.832				82.989		9 X
0.108 (10.35)					82.989		94
0.539 (111)	3.838	11.28					CP
0.677 -	3288	(10.79)			76.910		78M 534 88 / 78M F1086
2.350 (1771)	2126						
1.714 (19.69)	1.709				76.910		78M F1096
0.798 (2.62)	1.787	(5.86)					
1.535 (5.09)	2.017	(6.62)					
3.052 (10.02)	1.288	(9.22)					
3.383 (11.09)	0.136	(10.73)					
1.2532	0.04	(0.35)			82.805		CP
	7.057						

Tarikh Aras

Dibuat untuk

Daripada

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
3.282 (10.70)		0.028	(0.09)		82.905		cpy
3.812 (12.50)		0.028	(0.09)				
1.425 (7.68)		0.028	(0.09)				
1.066 (3.50)		1.225	(7.02)				
0.708 (2.32)		2.131	(6.99)				
2.685 (8.81)		0.125	(0.81)				
3.675 (12.06)		0.138	(0.86)				
		0.082	(0.27)		95.281		T&M 1/09 / T&M H2 / After comp. berdasarkan dgn rumah 7 ths 2/3
16.893		3.757					All the height is based on BM 80232 R.C: 50.658m