

No. Fail

JAS

tg sg Marab.

Rajah di muka

No. Fail	BEARING / SUDUT	Dari	GARISAN	Ke	Sudut Pukak	Jarak	Suhu	Jarak Antara Tupang	Jarak Muklumat
Stesen	Penyilang Kiri	Penyilang Kanan	Purata	Stn.	Bearing Muklumat	Stn.	(±)		
1	Bering Dripada	272 1900	2	272 1627	1	4	79.919	9/1/07	79.919
2	PA	MT 227	BL	BL					
1	272 1900	92 1900	272 1639	2	272 1906	3	4	16.757	16.757
2		MT 227							
3	272 1639	92 1639							
		BL							
1	Seperti Di Atas	279 2221	2	279 2988	4	4	80.799		80.799
2		MT 227							
4	279 2221	99 2221							
		BL							
1	Seperti Di Atas	2 0816	2	2 10 73	5	4	10.956		10.956
2		MT 227							
5	2 0816	182 0816							
		BL							
1	Seperti Di Atas	251 3223	2	251 3950	6	4	12.852		12.852
2		MT 227							
6	251 3223	71 3223							
		BL							
1	Seperti Di Atas	270 1320	2	270 1597	7	4	98.699		98.699
2		MT 227	1259					-2783	
7	270 1320	90 1320							
		PKT							
1	Seperti Di Atas	209 2307	2	209 2537	8	4	206.685		206.685
2		MT 227						-9.936	
8	209 2307	29 2307						19.906	
		PKT (Sp 102)							

No. Fail

Rajah di muka 1

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Muktamat	Ke Stn.	Sudut Pugak (±)	Jarak	Suhu	Jarak Antara Tupang	Jarak Muktamat
	Penyilang Kiri	Penyilang Kanan	Purata								
1	Sipat Di Atas	231 06 29	231 08 51	9	4	102.951	-	102.951			
2		231 06 29	231 08 51	9	4	102.951	- 9.017				
9	231 06 29	51 06 29									
	B/L										
2	29 23 07	207 23 07	285 49 57	8	265 52 29	10	4	31.070		31.070	
8			1502					31.070	+0.721		
10	265 49 57	85 49 57							-0.727		
	pt. B (gp 1060)										
8	85 49 57	265 49 57	181 51 27	10	181 53 59	11	4	70.979		70.979	
10			1521						70.178		
11	181 51 27	1 51 27									
	pt. B (gp 1162)										
8	Sipat Di Atas	275 37 29	10	275 37 29	12	4	75.087		75.087		
10											
12	275 37 29	75 37 29									
	B/L										

No. Fail

Rajah di muka

Stesen	BEARING / SUDUT			Dari	GARISAN	Ke	Sudut P	Jarak	Suhu	Jarak	
	Penyilang Kiri	Penyilang Kanan	Purata	Stn.	Bearing Muktamat	Stn.	(±)			Antara	Muktamat
										Tumpang	
1-12	203 17 05	205.960 N									
	203 17 19	205.883 M0									
	- 12 14"		20.077								
9-12	213 79 79	186.029 N									
	213 79 79	196.039 M0									
	Nilai		-0.015								

DAERAH SEANANG.
MUKIM DENGKIL
TANPA SKALA
SY/7 110-A

17533
4773
PA 13885

17539
PA 83825

4757
PA 13885

4758

4731

12568
15221
15221
15221

79.919
79.919
79.919

79.919
79.919
79.919

79.919
79.919
79.919

79.919
79.919
79.919

79.919
79.919
79.919

[illegible]

Tarikh *19 Melayu Merab Sg. Aras*
 Daripada *UKS 80195*

Dibuat untuk *F10 = 1060*
F11 = 1162
 Ke 62

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
2.792 (18.12)			0.098 (10.32)		56.787		
0.521 (11.71)							
0.121 (10.80)			3.578 (11.57)				
0.176 (10.78)			3.783 (13.00)				
0.095 (10.15)			3.397 (11.17)				
3.325 (11.72)			0.779 (2.40)		78.387		
0.779 (2.40)							
0.037 (10.11)			3.297 (10.81)		78.387		
0.166 (10.57)			3.599 (11.81)				
1.317 (11.32)			3.359 (11.02)				
3.666 (12.03)			0.281 (0.92)				
2.715 (18.91)			0.216 (10.71)				
2.597 (18.51)			0.289 (10.95)				
1.768 (17.82)			0.920 (13.02)				
4.785 (17.32)			6.335 (16.35)				
1.332 (17.32)							
0.830 (2.72)			1.509 (9.95)				
			2.205 (7.23)		76.257		
13539-					15.672		

904
 TBM F1103 nail on top of building's
 CP 120 site drain (A) the stone below area
 CP 120 (dug)
 CP 1580 ← see 180 by J. Mas (700)
 AC: 76257
 All the height is based on BM 80962
 AC: 16.5857