

[illegible]

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN	Ke Stn	Sudut Pukak ($\pm$)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata		Bearing Mukamat						
12	159 47 49	339 47 49	193 30 38	13	193 30 37	14	90 40	75.836			75.83
13			M ₁ 9		193 31 06						
14	193 30 38	13 30 38	M ₂ 19								
	Pg KL										
12	Seperti Di Atas	265 23 20	13	265 23 29	15	90 43	77.325				77.325
13		M ₁ 9		265 23 48							
15	265 23 20	85 23 20	M ₂ 19								
	PL										
12	Seperti Di Atas	267 17 40	13	267 18 09	16	90 16	78.650				78.650
13		G ₁ 20					78.648				
16	267 17 40	87 17 40	M ₁ 9								
	pt. B										
13	87 17 40	267 17 40	186 44 50	16	186 45 21	17	89 58	53.359			53.359
16		G ₁ 22						53.357			
17	186 44 50	6 44 50	M ₁ 9								
	pt. B										
16	6 44 50	186 44 50	113 40 29	17	113 41 02	18	89 44	55.851			55.851
17		G ₁ 24						55.851			
18	113 40 29	293 40 29	M ₁ 9								
	pt. B										
17	293 40 29	113 40 29	217 58 29	18	64	19	90 51	97.031			97.031
18		G ₁ 26			217 59 04			97.031			
19	217 58 29	37 58 29	M ₁ 9								
	pt. B										
18	37 58 29	217 58 29	208 08 01	19	208 08 31	20	89 48	37.132			37.132
19		G ₁ 27						37.130			
20	208 08 01	28 08 01	M ₁ 9								
	pt. B										

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Mukamat	Ke Stn	Sudut Pukak (±)	Jarak	Suhu	Jarak Antara Tumpang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata								
19	28 08 01	208 08 01	300 33 01	20	300 33 39	21	89 77	209.812			209.812
20			Ct 29					209.811			
21	300 33 01	120 33 01	M.t 9								
	p.k.B										
20	120 33 01	300 33 01	272 00 33	21	272 01 13	22	90 27	190.837			190.837
21			Ct 31					190.835			
22	272 00 33	62 00 33	M.t 9								
	p.k.B										
21	62 00 33	272 00 33	186 51 53	22	186 52 37	1	89 28	68.775			68.775
22			Ct 32					68.775			
1	186 51 53	6 51 53	M.t 9								
22	6 51 53	186 51 53	108 57 07	1	108 57 50	2	Sila Rujuk ms 3 & R3				
1			Ct 34								
2	108 57 07	288 57 07	M.t 9								
Bering 1-2 di baca			108 57 07								
Sepatutnya di baca			108 57 41								
Tikaran			- 37								
Pambetulan			+ 1.68 per stn. 17								
								18.18, 20, 21, 22.1			

[illegible]

Pesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Mukamat	Ke Stn	Sudut Pukak ($\pm$)	Jarak	Suhu	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata								
29	79 57 25	229 9 25	129 48 26	30	129 48 26	31	122 55	2.541			2.541
30											
31	129 48 26	309 48 26									
	pt.L										
30	28 08 37	208 08 37	302 52 13	20		32	90 07	70.605 70.603			70.605
20											
32	302 52 13	122 52 13									
	pt.B										
20	122 52 13	302 52 13	86 21 33	32		33	111 45 (mini)	2.933			2.933
32											
33	86 21 33	286 21 33									
	PL										
17	186 45 21	6 45 21	354 54 07	16		34	90 14	56.407 56.407			56.407
16											
34	354 54 07	174 54 07									
	pt.B										
16	174 54 07	354 54 07	178 22 57	34		35	89 42	29.046			29.046
34											
35	178 22 57	358 22 57									
	pt.C										
	312 19 10	15 57 2	pt.A.L								
	312 27 45	11 57 19	pt.A								
	312 27 45	11 57 19	pt.C								
	45 44 17	1 6 45	pt.L								

[illegible]

No. Fail

Rajah di muka

14

