

NS018
No. Fail Grant Senawong

Rajah di muka

Stesen	BEARING / SUDUT			Dari Stn.	GARISAN Bearing Mukamat	Ke Stn.	Sudut Pagak (±)	Jarak Suhi	Jarak Antara Tupang	Jarak Mukamat
	Penyilang Kiri	Penyilang Kanan	Purata							
1	Bering	530000	2	525295	1	4	18.606	20/6/07		18.606
2	AK Bering	M- 7 15	pk.B		1	PL				
1	530000	233 0000	71 19 58	2	71 07 43	3	4	19.876		19.876
2		M- 7 15								
3	71 19 58	251 19 58								
	PL									
1	Seperti Di Atas	520025	2	51 33 10	4	4	53.655			53.655
2		M- 7 15								
4	520025	232 0025								
	PL									
1	Seperti Di Atas	1353821	2	135 31 06	5	4	123.285			123.285
2		M- 7 15								
5	1353821	315 3821								
	pk.B									
1	Seperti Di Atas	409929	2	40 37 19	6	4	139.955			139.955
2		M- 7 15					139.958			
6	409929	2209929								
	pk.B									
2	2209929	409929	459957	6	45 42 42	7	4	215.399		215.399
6		M- 7 15					215.351			
7	459957	2259957								
	pk.B									
6	2259957	459957	1389509	7	138 37 49	8	4	99.080		99.080
7		M- 7 15					99.081			
8	1389509	318 9509								
	pk.B									

Rajah di muka

[illegible]


No. Fail
.....

Rajah di muka

Rajah di muka


[illegible]

DAERAH SEREMBAN
 AKAH SENAWANG.
 TANAA SKACA
 SYIT 56-A-II
 56-A-IV



No. Fail

Rajah di muka



Aras

09

Giat Senandung

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
1.565	(5.13)				82.767		F9
	1.189	(3.90)			83.170		F7
	1.171	(3.79)			83.186		→ site 78m / 83.106
1.785	(4.47)	1.539	(5.05)		82.790		cp
1.563	(5.13)	1.523	(5.00)		82.752		cp
1.383	(4.57)	1.205	(3.85)		83.110		cp
1.296	(4.25)	1.056	(4.45)		83.171 78m		F1207 noi on top of sump (near gate)
1.002		1.950	(4.76)		82.993		
		7.073					
1.750					82.993		R2
0.603	(1.98)	3.113	(10.21)				
0.259	(0.85)	2.811	(9.22)				
0.305	(1.00)	2.583	(8.97)				
1.019	(3.34)	2.036	(6.68)				
1.768	(5.80)	1.833	(6.01)				
1.771	(5.71)	1.531	(5.02)				
1.651	(5.42)	1.502	(4.93)				
1.759	(5.11)	1.335	(4.38)				
1.386	(4.55)	1.599	(5.07)				
11.971		0.741	(2.43)		75.905 78m		F1208 noi on top of sump
		19.029					

sump
F1206
Defina.
Kc + m
s/p
border pit /
screen (bind)
S


Tarikh Aras

Dibuat untuk

Daripada

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Mobi Caltian	dirai.
1.789 (15.85)					75.905	78M N/208	78M	
3075 (10.09)	0.317	(1.08)					78M	
2.175 (7.18)	0.879	(1.28)					78M	
1.844 (6.05)	1.231	(9.09)					78M	
0.598	(1.98)						78M	
0.428	3.025						78M	
1.278 (8.19)					81.758	78M N/209		
1.632 (5.36)	1.180	(3.82)						
0.588 (1.80)	2.059	(6.76)						
0.189 (0.8)	2.618	(8.53)						
0.860 (2.82)	2.890	(8.06)						
1.515 (9.97)	1.939	(6.36)						
1.522 (9.99)	1.530	(5.08)						
1.570 (5.15)	1.368	(8.99)						
3.012 (9.88)	1.351	(9.10)						
1.218	1.151	(3.78)			78.190	78M N/210		
	15.789							



Tarikh Aras

Dibuat untuk

62

Daripada

Ke

Pandangan Belakang	Pandangan Antara	Pandangan Hadapan	Naik	Turun	Aras Yang Dilaras	Jarak	Catitan
1.97/ (19.83)		2.795	(18.19)		78/180 78m	1920	
0.986	(1.186)	2.7958	(18.06)				
2.093	(6.10)	0.632	(2.09)		78.55	AM N/159	PL: 78.55
3.960		5.585					based on BM N 0380 PL: 78.636